

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4551	"802.3"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/18 18:11
S11 5	1	"6658010".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/18 18:12
L2	0	((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:19
L4	118	((point-to-point) (point adj to adj point)) same (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:21
S10 3	4	((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:21
L6	1	((point-to-point) (point adj to adj point)) same (medium path channel) same config\$ with second and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:22
L7	64	((point-to-point) (point adj to adj point)) same (medium path channel) and (config\$ with second) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:22
L8	32	((point-to-point) (point adj to adj point)) with (medium path channel) and (config\$ with second) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:22
S35	305	((point-to-point) (point adj to adj point)) same shared with medium	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:40

## EAST Search History

L10	5475	709/201,227,228,230.ccls. and (@ad<"20010515" @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:41
L11	226	709/201,227,228,230.ccls. and (@ad<"20010515" @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:42
L12	1188	((point-to-point) (point adj to adj point)) same (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:42
L13	52	10 and 12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:42
L9	8926	709/201,227,228,230.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:43
L14	2604	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:43
L15	1563	709/225.ccls. and (@ad<"20010515" @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:43
L16	93	709/225.ccls. and (@ad<"20010515" @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:43
L17	1	16 and 5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:43
S57	40	(share shared sharing) with (path medium) same (config\$8) same wireless and (@ad<"20010515" or @rlad<"20010515")	US-PGPUB; USPAT; EPO	OR	ON	2006/12/19 16:45
L18	2	(share shared sharing) with (path medium) same (config\$8) same wireless and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO	OR	ON	2006/12/19 16:46

## EAST Search History

L19	1	(remote remotely) with config\$8 near3 (device peripheral printer) with (share sharing shared) with (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:46
S11 4	2	(remote remotely) with config\$8 near3 (device peripheral printer) with (share sharing shared) with (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:46
L5	50	((point-to-point) (point adj to adj point)) same (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:47
L20	19	(remote remotely) with config\$8 near3 (device peripheral printer) with (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:47
L21	58	((point-to-point) (point adj to adj point) PPP) same (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:48
L22	14	(PPP) same (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:48
L23	0	(PPP) same (medium path channel) same config\$ with second and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:48
L24	3	(PPP) same (medium path channel) same config\$ same second and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:48

## EAST Search History

L25	1	((point-to-point) (point adj to adj point) PPP) same (medium path channel) same (config\$ with second) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:49
L26	1	(transceiver with infrared) with wireless with (dual multiple two) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060714")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:50
S10 6	2	(transceiver with infrared) with wireless with (dual multiple two) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/19 16:50